L Number	Hits	Search Text	DB	Time stamp
1	337	x".sup."31	USPAT;	2004/10/20 12:33
1 '	00.	7 .3ap. 01	US-PGPUB	2004/10/20 12:55
3	30	(x".sup."31 and (x".sup."3)) and (x".sup."32)	USPAT;	2004/10/20 12:15
"	30	(x .sup. 51 and (x .sup. 5)) and (x .sup. 52)	US-PGPUB	2004/10/20 12.13
4	12	(///" aug "34 and //" aug "3\) and //" aug "30\) and //" aug "30\		2004/40/20 42:45
4	12	((x".sup."31 and (x".sup."3)) and (x".sup."32)) and (x".sup."28)	USPAT;	2004/10/20 12:15
	40	. II 104 ( II IIO)	US-PGPUB	00044404004000
2	48	x".sup."31 and (x".sup."3)	USPAT;	2004/10/20 12:22
			US-PGPUB	·
5	162	x".sup."32	USPAT;	2004/10/20 12:34
	,		US-PGPUB	8 8
6	13	x".sup."32 and (x".sup."28)	USPAT;	2004/10/20 12:34
	!		US-PGPUB	
7	13	(x".sup."32 and (x".sup."28)) and " x "	USPAT;	2004/10/20 12:49
			US-PGPUB	
8	1428	(714/727 or 714/726 or 714/729 or 714/728 or 714/739 or	USPAT;	2004/10/20 12:50
	İ	714/732).ccls.	US-PGPUB	
9	6	((714/727 or 714/726 or 714/729 or 714/728 or 714/739 or	USPAT;	2004/10/20 12:51
•		714/732).ccls.) and(((misr with polynomial) or (lfsr with	US-PGPUB	200 17 10/20 12.01
		polynomial)) and @ad<20011012) and lbist	00-1 01 00	
10	6	((714/727 or 714/726 or 714/729 or 714/728 or 714/739 or	IICDAT:	2004/10/20 12:51
'	0		USPAT; US-PGPUB	2004/10/20 12:51
		714/732).ccls.) and((((misr with polynomial) or (lfsr with	03-76708	
		polynomial)) and @ad<20011012) and Ibist)	LICDATE	0004/00/00 00 11
-	1	5982189.pn.	USPAT;	2004/03/02 09:14
		0004050	US-PGPUB	0004/00/04 15 11
-	1	6681359.pn.	USPAT;	2004/03/01 15:41
[	.		US-PGPUB	
-	1	6665828.pn.	USPAT;	2004/03/01 15:42
			US-PGPUB	
-	1	6587979.pn.	USPAT;	2004/03/01 15:42
			US-PGPUB	
-	1	6560740.pn.	USPAT;	2004/03/01 15:42
1			US-PGPUB	
-	1	5138619.pn.	USPAT;	2004/03/01 15:42
		'	US-PGPUB	
1-	1 1	5661732.pn.	USPAT;	2004/03/01 15:42
			US-PGPUB	
!- 1	1	6148426.pn.	USPAT;	2004/03/01 15:43
			US-PGPUB	
[_	1	6636997.pn.	USPAT;	2004/03/01 15:43
	· ·		US-PGPUB	200 1100/01 10:10
l_	1	6000048.pn.	USPAT;	2004/03/01 15:44
_	'	0000040.pm.	US-PGPUB	2004/03/01 13.44
	4	6620291 pp		2004/02/04 15:44
-	1	6629281.pn.	USPAT;	2004/03/01 15:44
		5005724 nn	US-PGPUB	2004/00/04 45 45
-	1	5995731.pn.	USPAT;	2004/03/01 15:44
		0074042	US-PGPUB	0004/00/04 17 15
<del>-</del>	1	6671843.pn.	USPAT;	2004/03/01 15:45
		0074000	US-PGPUB	0004/00/01 := :=
-	1	6671838.pn.	USPAT;	2004/03/01 15:45
		<u> </u>	US-PGPUB	
-	1	5558611.pn.	USPAT;	2004/03/01 15:48
			US-PGPUB	
-	21	((polynomial adj primitive) and Ifsr) and @ad<20011012	USPAT;	2004/10/19 17:31
]			US-PGPUB	
-	23	(5982189.pn. or 6681359.pn. or 6665828.pn. or 6587979.pn.	USPAT;	2004/03/02 10:28
		or 6560740.pn. or 5138619.pn. or 5661732.pn. or 6148426.pn.	US-PGPUB	
		or 6636997.pn. or 6000048.pn. or 6629281.pn. or 5995731.pn.		[
1		or 6671843.pn. or 6671838.pn. or (((polynomial adj primitive)		}
! !		and Ifsr) and @ad<20011012) or 5558611.pn. ) and		
j l		polynomial		
]_	2	(5982189.pn. or 6681359.pn. or 6665828.pn. or 6587979.pn.	USPAT;	2004/03/01 16:10
		or 6560740.pn. or 5138619.pn. or 5661732.pn. or 6148426.pn.	US-PGPUB	2007/00/01 10.10
		or 6636997.pn. or 6000048.pn. or 6629281.pn. or 5995731.pn.	00-1 GF0D	1
; !		or 6671843.pn. or 6671838.pn. or 5558611.pn. ) and		
		polynomial		
	49	bardell.in.	LICDAT:	2004/02/02 00:44
] -	49	Daracii.III.	USPAT;	2004/03/02 09:14
	L		US-PGPUB	

	*			
-	2	bardell.in. and misr	USPAT; US-PGPUB	2004/03/02 09:24
-	5	misr near polynomial	USPAT; US-PGPUB	2004/03/02 16:04
-	17	(5982189.pn. or 6681359.pn. or 6665828.pn. or 6587979.pn. or 6560740.pn. or 5138619.pn. or 5661732.pn. or 6148426.pn. or 6636997.pn. or 6000048.pn. or 6629281.pn. or 5995731.pn. or 6671843.pn. or 6671838.pn. or (((polynomial adj primitive) and misr) and @ad<20011012) or 5558611.pn.)	USPAT; US-PGPUB	2004/03/02 10:33
-	14	Ibist near engine	USPAT; US-PGPUB	2004/03/02 14:17
-	765	polynomial near primitive	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/02 13:14
-	643	(polynomial near primitive) and @ad<20011012	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:14
-	0	((polynomial near primitive) and @ad<20011012) and (misr near "32")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:15
-	387	((polynomial near primitive) and @ad<20011012) and "32"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:16
-	106	((polynomial near primitive) and @ad<20011012) and ("32" near bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:16
-	1	(((polynomial near primitive) and @ad<20011012) and ("32" near bit)) and misr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:21
-	438	(polynomial near primitive) and (4th degree)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/02 13:22
-	0	(polynomial near primitive) and (4th near degree)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/02 13:22
-	14	(polynomial near primitive) and ("4" near degree)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/02 13:25
-	6	(polynomial near primitive) and ("32" near degree)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 13:25
-	8	lbist near state	USPAT; US-PGPUB	2004/03/02 14:20
-	1	6671838.pn.	USPAT; US-PGPUB	2004/03/02 14:23
-	4	6671838.pn. or 6327685.pn. or 6629281.pn. or 6442723.pn.	USPAT; US-PGPUB	2004/03/02 14:24

USPAT:					
Comparison   Com	•	3	(6671838.pn. or 6327685.pn. or 6629281.pn. or 6442723.pn.)		2004/03/02 14:24
. 39 (\$281\$T near reset (\$281\$T near reset) and @ad<20011012 (\$281\$T near reset) and lifsr and pattern and seed) and \$281\$T near reset (\$281\$T near reset) and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and pattern and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and pattern and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and pattern and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and pattern and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and primitive and polynomial).clm.) and ifsr and misr and result and	-	4	(6671838.pn. or 6327685.pn. or 6629281.pn. or 6442723.pn.)	USPAT;	2004/03/02 14:25
SPAT; US-PGPUB; EPO, JPO; DERWENT; IBM, TDB USPAT; US-PGPUB;	-	53		USPAT;	2004/03/02 16:05
SPGPUB   SPAT, US-PGPUB   SPAT, US-PGP	_	39	(\$2BIST near reset) and @ad<20011012		2004/03/02 16:05
SP-GPUB   EPO, JPO   DERWENT   IBM   TDB   USPAT   US-PGPUB   USPAT   US-PGPUB   U				US-PGPUB	
DERWENT:   BM TDB   USPAT:   USPGPUB:   EPC; JPO:   DERWENT:   USPAT:   USPGPUB:   EPC; JPO:   DERWENT:   USPAT:   USP	-	2	6560740.pn.		2004/03/03 09:00
BM TDB   USPAT; US-PG-PUB; EPC; JPC; DERWENT; BM TDB   USPAT; US-PG-PUB; USPAT; US-PG-PUB; US-P					
- 2 5260950.pn.   US-PGPUB: EPO: JPO: DERWENT: IBM_TDB USPAT: US-PGPUB: US-PAT: US-PGPUB: US-P			0074000	IBM_TDB	0004/00/00 00 04
- 2 5260950.pn.   DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; USPAT; US-PGP	-	1	6671838.pn.		2004/03/03 09:04
- 2 2 5260950.pn.   BM_TDB USPAT: US-PGPUB: EPO: JPO: DERWENT; IBM_TDB USPAT: US-PGPUB: USPAT: US-PGPU					
S-PGPUB;   SPGPUB;   SPG				IBM_TDB	
- 2 6665828.pn.   DERWENT;   IBM TDB USPAT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   EPO; JPO;   DERWENT;   US-PGPUB;   USPAT;	-	2	5260950.pn.	1	2004/03/03 09:12
- 2 6665828.pn.   SPAT: US-PGPUB; EPC, JPC, DERWENT: IBM, TDB US-PGPUB; EPC, JPC, JPC, JPC, JPC, JPC, JPC, JPC, J					
- 123 \$2bist and Ifsr and pattern and seed USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGP				IBM_TDB	
- 123 \$2bist and Ifsr and pattern and seed  \$2bist and Ifsr and pattern and seed  \$2bist and Ifsr and pattern and seed  \$2bist and Ifsr and pattern and seed) and \$2bist.ab.  \$2bist and Ifsr and pattern and result and primitive and primiti	-	2	6665828.pn.		2004/03/03 10:30
123   \$2bist and Ifsr and pattern and seed   USPAT; USP-CPUB; EPC; JPC; DERWENT; IBM TDB USPAT; USP-CPUB; EPC; JPC; DERWENT; ISM TDB USPAT; USP-CPUB; EPC; JPC; DERWENT; ISM TDB USPAT; USP-CPUB; USP-CPUB; USPAT; USP-CPUB; USPAT; USP-CPUB; USPAT; USP-CPUB;				EPO; JPO;	
- 20 (\$2bist and Ifsr and pattern and seed) and \$2bist.ab.  - 20 (\$2bist and Ifsr and pattern and seed) and \$2bist.ab.  - 14 ((\$2bist and Ifsr and pattern and seed) and \$2bist.ab.) and (\$2bist.ab.) and (\$2bist.					
20    (\$2bist and Ifsr and pattern and seed) and \$2bist.ab.	-	123	\$2bist and Ifsr and pattern and seed	,	2004/03/03 10:31
Subject and lifer and pattern and seed) and \$2bist.ab.   IBM_TDB   USPAT; US-PGPUB; EPO, JPO, DERWENT; IBM_TDB   USPAT; US-PGPUB   EPO, JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB				EPO; JPO;	
14				1	
The content of the	-	20	(\$2bist and Ifsr and pattern and seed) and \$2bist.ab.		2004/03/03 10:31
14				EPO; JPO;	·
@ad<20011012  @ad<20011012  @ad<20011012    US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB US-PG			·		
Continue	-	14			2004/03/03 10:31
Comparison of the primitive and pattern and lfsr and misr and result and primitive and polynomial).clm.   US-PGPUB USPAT;   US-PGPUB US-			( au - 2001 1012	EPO; JPO;	
primitive and polynomial).clm.					
- 0 (Ibist with (pattern with Ifsr) with misr with (primitive adj polynomial)).clm. (primitive adj polynomial)).clm. (primitive adj polynomial).clm. (USPAT; US-PGPUB USPAT; U	-	0	(lbist and state and pattern and Ifsr and misr and result and		2004/10/19 17:32
- 117 (primitive adj polynomial).clm. USPAT; US-PGPUB USPAT; U	-	0	(Ibist with (pattern with Ifsr) with misr with (primitive adj	USPAT;	2004/10/19 17:34
- 29 ((primitive adj polynomial).clm.) and lfsr	-	117		USPAT;	2004/10/19 17:34
- 6 (((primitive adj polynomial).clm.) and lfsr) and misr  - 6839 pattern adj generator  - 241 (pattern adj generator) and lfsr  - 108 ((pattern adj generator) and lfsr) and misr  - 44 (((pattern adj generator) and lfsr) and misr) and seed\$3  - 30 ((((pattern adj generator) and lfsr) and misr) and seed\$3  - 30 ((((pattern adj generator) and lfsr) and misr) and seed\$3) and @ad<20011012  - 16 (((((pattern adj generator) and lfsr) and misr) and seed\$3) and @ad<20011012) and polynomial  - 15 5938784.pn.  US-PGPUB  US-PGPUB  USPAT;	-	29	((primitive adi polynomial).clm.) and Ifsr		2004/10/19 17:34
- 6839 pattern adj generator				US-PGPUB	
- 241 (pattern adj generator) and Ifsr US-PGPUB USPAT; US-PGPU				US-PGPUB	
- 108 ((pattern adj generator) and Ifsr) and misr US-PGPUB USPAT; US-PGPUB USP	-	6839	pattern adj generator		
- 108 ((pattern adj generator) and Ifsr) and misr USPAT; US-PGPUB USPAT; US-PG	-	241	(pattern adj generator) and Ifsr		2004/10/19 17:39
- 44 (((pattern adj generator) and Ifsr) and misr) and seed\$3 USPAT; US-PGPUB	-	108	((pattern adj generator) and Ifsr) and misr	USPAT;	2004/10/19 17:39
- 30 ((((pattern adj generator) and Ifsr) and misr) and seed\$3) and @ad<20011012 - 16 (((((pattern adj generator) and Ifsr) and misr) and seed\$3) and @ad<20011012) and polynomial - 1 5938784.pn. 2004/10/20 08:18	-	44	(((pattern adj generator) and Ifsr) and misr) and seed\$3	USPAT;	2004/10/19 17:41
- 16 (((((pattern adj generator) and lfsr) and misr) and seed\$3) and (SPAT; US-PGPUB (USPAT; US-PGPUB (USPAT; US-PGPUB (USPAT; US-PGPUB (USPAT; US-PGPUB (USPAT; US-PGPUB (USPAT; USPAT;	_	30	((((pattern adj generator) and Ifsr) and misr) and seed\$3) and	1	2004/10/20 09:00
@ad<20011012) and polynomial US-PGPUB USPAT; 2004/10/20 08:18			@ad<20011012	US-PGPUB	
	-		@ad<20011012) and polynomial	US-PGPUB	
	-	1	5938784.pn.		2004/10/20 08:18

-	1	6629281.pn.	USPAT;	2004/10/20 08:19
			US-PGPUB	
-	16	(((((pattern adj generator) and Ifsr) and misr) and seed\$3) and	USPAT;	2004/10/20 10:29
		@ad<20011012) and polynomial	US-PGPUB	
-	9	nelson.in. and ncr.as.	USPAT;	2004/10/20 10:32
•			US-PGPUB	
-	391	(misr with polynomial) or (Ifsr with polynomial)	USPAT;	2004/10/20 10:32
			US-PGPUB	
-	298	((misr with polynomial) or (Ifsr with polynomial)) and	USPAT;	2004/10/20 10:33
		@ad<20011012	US-PGPUB	
-	6	(((misr with polynomial) or (lfsr with polynomial)) and	USPAT;	2004/10/20 12:51
		@ad<20011012) and lbist	US-PGPUB	